


Two-way
motorised
swing-leaf
turnstile



Saloon40

**Technology and speed,
move hand in hand.**

Saloon40 is Came's very latest motorised swing-leaf turnstile; it is extremely compact, innovative and user-friendly in design!


Engineered for even quicker and easier installation!



Saloon40


Speed of
movement,
and rapid
installation!

Saloon40 is made for controlling access points to very large hall-type rooms that see sustained flow-rates, such as in shopping malls, hospitals and other large, service facilities. Quick and easy to install, Saloon40 is all about cutting-edge technology features and performance; opening in just 1 second.




THE RED LUMINOUS WARNING CROWN

signals when the turnstile leaf is closing.



THE GREEN LUMINOUS WARNING CROWN

signals when the turnstile leaf is opening.



A BLUE LUMINOUS WARNING CROWN

signals that the leaf is about to close. (the pre-flashing time can be electronically adjusted).

Electronic board
and power supply device are built-into the operator.

Motor with Encoder
for easier handling of the slow-down and obstacle-detection phases.

Function programming
and viewing display.



Memory Roll to save configuration parameters and user details.

Aluminium structure
with satin stainless steel-like finish.

Electronically simplified leaf
speed adjustments.

Activating movement
via transponder and magnetic cards, buttons or photocells.

A single product for double passage!

Saloon40 is also made in the two swing-leaf version. Two types of leaf, the 900 or 1200 mm long, leaves are available, to manage even those extra-wide and roomy passage points!
(Up to 2400 mm of passage width)



Benefits of Saloon40

- **Aesthetically evolved**
with its completely overhauled design it packs a concentration of aesthetic and technological solutions for enhanced installation and operation.
- **Luminous warning crown**
built-into the turnstile, to warn when the leaf is moving and signal the status of operation.
- **The activation radar**
fits perfectly, to allow leaf openings to be remotely-activated.
- **The modular**
radar and luminous crown means the two can be interchanged according to need.
- **Takes up little space**
both the electronic board and power-supply unit are fitted in the turnstile which is only 120 mm in diameter.
- **Passage is always under control**
as it is fitted with a sound alarm that is triggered by any attempts at forced entry.
- **It's safe because it unlocks**
so if the power goes out, it can be opened manually for both entry and exit.



Operational limits

MODEL	PSSLN40
Max leaf length (m)	1.2
Max leaf weight (Kg)	2
Max leaf opening (°)	90

● 24 V DC

Global entry control

The Saloon40 series swing turnstile system can be connected to many of the Came access control systems that allow identification, memorization, and entry and exit only to authorised personnel.

The equipment can also be integrated with a global access control system for specific departments in a company or the services offered large facilities.





The complete range

Motorised swing turnstile

001PSSLN40



Single aluminium swing-leaf 24 V DC motor-powered turnstile fitted with electronic board.

Accessories

001PSSL90

Aluminium leaf length 900 mm.

001PSSL120

Aluminium leaf length 1200 mm.

001PSSLC

Custom leaf (length min.600 mm, max.1200 mm).

001PSSA01

Activator radar to fit atop the operator.

001PSSA03

Kit of two chromed plastic sleeve couplers for fastening the side-barriers.

001PSSA04


Kit of AISI 304 stainless steel sleeve couplers for fastening the side-barriers.



GARANZIA QUALITÀ ORIGINALE

Came products
are entirely engineered
and built in **ITALY**

Dimensions (mm)



Technical features

Type	PSSLN40
IP protection rating	IP40
Power supply (V - 50/60 Hz)	230 AC
Motor power supply (V - 50/60 Hz)	24 DC
Power rating (W)	120
Opening speed at 90° (s)	1
Operating temperature (°C)	-20 ÷ +55

● 24 V DC



Came
cancelli automatici
S.p.A.

via Martiri della Libertà, 15
31030 Dosson di Casier - Treviso - Italy

www.came.com - info@came.it

© Came - 06/2012 - KDEP#CEN2DA3S712

All data have been drawn up and verified with the utmost care. We are in no way liable for any errors and/or omissions.
The data and information shown in this catalogue are subject to change without the obligation to give prior notice by Came cancelli automatici S.p.A.